3D Viewer

User Manual



JUN 11, 2011

CONTENTS

1. Package Contents..... 1
2. Introduction..... 1
3. Features..... 2
4. Hardware Overview..... 3
5. Connection..... 4
6. Troubleshooting..... 5
7. Warning Lines..... 5

1. PACKAGE CONTENT

Power Adapter
(DC 5V)

Quick Guide

1. 3D Viewer
2. Power Adapter (DC 5V, 2A)
3. Quick Guide

2. INTRODUCTION

The Product is 3D Viewer that allows you to connect HDMI compatible devices such as set-top boxes， TV game or DVD players and Camcorder.

With it ，user can switch 2D video signal to 3D video signal and easily watch 3D content if the signal is exported to 3D TV or Projector.

User will easily know the 3D mode through the LED (indicator light) of 3D Viewer. With the 3D Viewer, You can enjoy the fascinating high definition 3D Movie.

3. FEATURES

- **HDMI 1.1, 1.2 1.3and 1.4 compliant.**
- **Supports 480i, 576i, 480p, 576p, 720p, 1080i and 1080p resolution**
- **LED 1 : 2D/3D signal By Pass**
- **LED 2 : 2D signal to 3D half-SBS(3D TV signal)**
- **LED 3 : 2D signal to 3D projector signal (720P projector)**
- **LED 4 : 3D half-SBS(3D TV signal) to 3D projector signal**
- **Power Supply: DC 5V.**
- **Dimensions: 135(L) x 90(W) x 28(H) mm**.

4. HARDWARE OVERVIEW



1. DEPTH Button: Press the **DEPTH** button to select the 3D depth of field.
2. MODEL Button: Press the **MODEL** button to select the output signal model

   Model 1: BY PASS

   Model 2: 3D TV

   Model 3: 3D DLP

   Model 4: BY PASS DLP

5. CONNECTION



6. Troubleshooting

Situation	Check Point
No Signal	1. Check if the Power connection is correct. 2. Check if the HDMI connection is correct.
No 3D Picture	1. Check if the output mode sis correct. 2. Check if the input signal is 720P. (3D TV mode).

7. Warning Lines

1. If you experience any of the following symptoms, please stop watching 3D TV and rest or consult a physician immediately.

- Headaches
- Altered vision
- Lightheadedness
- Muscle twitching
- Nausea
- Loss your orientation

2. We do not recommend watching 3D TV if you are in bad physical condition, need sleep or have been drinking alcohol.

3. Recommend to take a short break to avoid eyestrain or physical discomfort for watching 3D program an hour.